For Your Essential Needs

Worry-Free Weighing



Easy to Use

Ten embedded applications including checkweighing, totaling and formulation allow operators to start working right away. Sample IDs and passcode protection make sure settings are not changed by unauthorized personnel.



Accuracy Ensured

An Electromagnetic Force Compensation (EMFC) weighing cell with FACT technology automatically adjusts the balance whenever there is a change in ambient temperature, ensuring your results remain accurate and reliable. Built-in overload protection helps to ensure long balance life.



Intuitive Touch Operation

The unit's bright 4.5" color TFT touchscreen with clear icons and intuitive guidance enables users to operate it quickly—even while wearing cloth or rubber gloves. Multilingual text and graphics walk you through every step of your weighing procedures.



Easy Data Handling

Multiple interfaces support barcode reader, printer and PC connections for easy traceability and data handling. USB and RS232 connectivity along with an optional Bluetooth adapter simplify data upload and transfer.



ME-T Analytical Balances

Essential Functionality, Solid Performance

Every lab needs a balance that combines essential weighing functions with ease of use to deliver accurate, reliable results day after day.

METTLER TOLEDO'S ME-T analytical balance is ideal for your lab's sensitive yet routine weighing procedures. An intuitive touchscreen makes daily tasks as simple as possible while built-in features give operators everything they need to weigh with the accuracy, repeatability and traceability required.

The metal base and a high quality finish make ME-T robust enough for tough environments and the smooth surfaces make it easy to clean. This precise scale is built to perform—and last!



ME-T Analytical Balances, 0.1 mg Readability

| Technical Specifications | ME54T | ME104T | ME204T | | |
|---|---------------|----------------|-----------------|--|--|
| Limit Values | | | | | |
| Capacity | 52 g | 120 g | 220 g | | |
| Readability | 0.1 mg | 0.1 mg | 0.1 mg | | |
| Repeatability (at 5% load) | 0.1 mg | 0.1 mg | 0.1 mg | | |
| Linearity deviation | 0.2 mg | 0.2 mg | 0.2 mg | | |
| Typical Values | | | | | |
| Repeatability (at 5% load) | 0.08 mg | 0.08 mg | 0.08 mg | | |
| Linearity deviation | 0.06 mg | 0.06 mg | 0.06 mg | | |
| Sensitivity offset (at nominal load) | 0.1 mg (50 g) | 0.2 mg (100 g) | 0.24 mg (200 g) | | |
| Minimum weight (USP, tolerance = 0.10%) | 160 mg | 160 mg | 160 mg | | |
| Minimum weight (tolerance = 1%) | 16 mg | 16 mg | 16 mg | | |
| Settling time | 2 s | 2 s | 2 s | | |
| Dimensions | · | | | | |
| Weighing pan (mm) | Ø 90 | Ø 90 | Ø 90 | | |
| Balance size, W×D×H (mm) | 210×344×344 | 210×344×344 | 210×344×344 | | |



Models without internal test weights are also available (ExCal).

Features

| Accurate Results | Efficient Operation | Quality | Connectivity |
|---|----------------------------|---|---------------------------------|
| Electromagnetic Force | Bright 4.5" color | • Input of up to 4 sample IDs | • 3 interfaces: USB device, |
| Compensation (EMFC) | TFT touchscreen | Passcode protection | USB host, RS232 |
| FACT internal adjustment or | • 10 built-in applications | • 15 available languages | Bluetooth option |
| external calibration | Front level indicator | | Built-in PC direct function for |
| Metal base | Statistical data analysis | | easy data transfer |
| OIML/NTEP approved | Overload protection | | |

Accessories

RS P25 Printer



Fast, high quality printouts on paper, self-adhesive labels and continuous self-adhesive paper (including barcodes).

Bluetooth Adapter



Wirelessly send data between the balance and a PC, tablet or printer. No additional software needed.

SmartPrep™



Single-use, antistatic funnels enable safe and fast weighing-in of powders. Simply weigh, transfer and rinse.

Density kit



Dedicated kit for determining the density of solid and liquid substances with the built-in application.

U-electrode



The freestanding U-Electrode removes electrostatic charges on samples and containers.

For further information on accessories, please visit

www.mt.com/lab-accessories

METTLER TOLEDO Group

Laboratory Weighing Local contact: www.mt.com/contacts www.mt.com/met-analytical

For more information